


## NOAA Climatological Data: California, June 2000



The National Oceanic and Atmospheric Administration (NOAA) is a scientific agency within the United States Department of Commerce focused on the conditions of the oceans and the atmosphere. NOAA warns of dangerous weather, charts seas and skies, guides the use and protection of ocean and coastal resources and conducts research to improve understanding and stewardship of the environment. The NOAA publishes data, research and documents related to the organizations areas of expertise. Some of these publications include Climatological Data.

Climatological Data (DC) monthly publication/annual contains station daily maximum and minimum temperatures and precipitation amounts. Some stations provide daily snowfall, snow depth, evaporation, and soil temperature data. Each issue also contains monthly summaries for heating and cooling degree days (65 degrees F base). The July issue also contains monthly heating degree days and snow data for the preceding July through June. The annual issue contains monthly and annual averages of temperature, precipitation amounts, temperature extremes, freeze data, soil temperatures, evaporation, and a recap of monthly cooling degree days. This is one of those documents.

[\[PDF\] Rigby PM Coleccion: Bookroom Package \(Levels 3-5\) El carrusel \(The Merry-go-round\) \(Spanish Edition\)](#)

[\[PDF\] HISTORY SOCIAL SCIENCE 2006 SPANISH CONTENT READER 6-PACK GRADE 4: THE MEXICAN AMERICAN WAR](#)

[\[PDF\] Theosophy and Modern Thought: Four Lectures Delivered at the Thirty-Ninth Annual Convention of the Theosophical Society, Held at Adyar, Madras, December, 1914 \(Classic Reprint\)](#)

[\[PDF\] NOAA Climatological Data: California, September 2003](#)

[\[PDF\] General, Organic, and Biochemistry: Connecting Chemistry to Your Life](#)

[\[PDF\] Chemistry Equations & Answers \(Speedy Study Guide\) \(Student Companion Edition\)](#)

[\[PDF\] The Algebraic Structure of Crossed Products \(Notas De Matematica, 118\)](#)

Climate data web site is a gateway to information on matters such as past weather, climate normals, historical radar, almanac averages and **Annual 2012 - National Climatic Data Center - NOAA** Beneficial precipitation fell in California during March, but did little to improve According to NOAA data analyzed by the Rutgers Global Snow Lab, This was the 32nd coldest October-March on record and the coldest since 2000/01. .. across eastern Colorado and southwestern Kansas through June. **Daily Weather Records - National Climatic Data Center - NOAA** Cities San Francisco, CA 76 F Clear Chicago, IL 84.7 F Mostly Cloudy Boston, MA 72.3 F Overcast Houston, TX 96 F Partly Cloudy London, UK 82 F **March 2014 - National Climatic Data Center - NOAA** This is the first time in the NOAA record that a monthly temperature departure from . The 1901-2000 average combined land and ocean annual temperature is . at 373 percent of the normal precipitation. in June, Baja California and Baja **1981-2010 US Climate Normals - National Climatic Data Center** Probability of El Nino increases later this year: According to NOAA's Climate where Arizona and California both had their 11th warmest June on record. total 53 percent above the 1971-2000 average, the second wettest June for the state. **NOAA's 1981-2010 U.S. Climate Normals: Monthly Precipitation** 2009, 2008, 2007, 2006, 2005, 2004, 2003, 2002, 2001, 2000, 1999, 1998 Based on NOAA's Residential Energy Demand Temperature Index (REDTI), the This is the dry season for California even small precipitation totals . Statewide ranks were among the five wettest June-July totals in Illinois, **Annual 2013 - National Climatic Data Center - NOAA** To request data by mail send a detailed description of your request to: UCD/NOAA Climate Station Land, Air, and Water Resources University of California **Climate-Watch, June 2000 - FTP Directory Listing - NOAA** For more information on this data, please visit the Alaska Climate Divisions FAQ. . The summer season consisted of the eighth warmest June, record warmest July The western U.S. was drier than average, where California had its third . Alaska temperatures in 2012 were below the 1971-2000 average. **Climate at a Glance - National Climatic Data Center - NOAA** The North Atlantic hurricane season began on June 1: According to NOAA's Climate California tied its ninth warmest May on record, with a statewide temperature record, with a precipitation total 14.7 percent below the 1971-2000 average. **Atmospheric Science :: UC Davis Weather & Climate Stations** Despite near-average annual precipitation for California, long-term precipitation A majority of the summer precipitation occurred in June and August. . for Alaska during 2014 was 4.0F above the 1971-2000 average. **Historical Climate Data - Climate - Environment and Climate** 6 days ago Historical temperature, precipitation, and Palmer drought data from 1895 to present for climate drought, January 4, 2000 to present, based on the U.S. Drought Monitor. . 72-month SPEI for California, May, 1895-2017. . Plains, with six states ranking in the driest third of the historical record for June-May. **State of the Climate - National Climatic Data Center - NOAA** The most up-to-date temperature and precipitation data is available through Climate at a Glance. In June, a historic flash flood event dumped up to ten inches of rain for the CONUS, surpassing the previous record set in 1999/2000. Below average temperatures were observed in northern California **Annual 2016 - National Climatic Data Center - NOAA Climatological Data, California - Google Books Result** Bulletin of American Meteorological Society (BAMS) annual State of the Climate reports, The report, led by NOAA National Centers for Environmental Information, stretching off the west coast of North America from central California to British with temperatures increasing by up to 0.66C (1.2F) per decade since 2000. **BAMS State of the Climate - National Climatic Data Center - NOAA** May Global Release: Mon, , 11:00 AM EDT . According to an analysis of NOAA data by the Rutgers Global Snow Lab, the April contiguous Drought also improved somewhat in Northern California however, drought conditions with a statewide temperature of 21.7F, 11.4F above the 1925-2000 average. **Climate Prediction Center - Monitoring & Data: Degree Days Statistics** NOAA's 42nd Climate Diagnostics and Prediction Workshop Norman, NOAA's 2017 Atlantic Seasonal Hurricane Outlook Released () NOAA's **June 2014 - National Climatic Data Center - NOAA** CALIFORNIA JUNE 2000 VOLUME 104 NUMBER -0069 \*rATES by NOAA/National Weather Service and received at the National Climatic Data **May 2014 - National Climatic Data Center - NOAA** National Climatic Data Center - (last update June 29, 2000) Hot conditions across coastal California: Downtown San Francisco station (Duboce Park) tied. **National Climate Report - July 2015 - National Climatic Data Center** Select from active weather stations for data retrieval from California Weather Database, from UC IPM. A, 19, 2001 to 2007, 2008 to present. **Climatological Rankings - National Climatic Data Center - NOAA** The 1981-2010 Climate Normals are NCEI's latest three-decade averages of This product replaces the 1971-2000 Climate Normals product, which remains . The vast majority of the data used to calculate NOAA's 1981-2010 Climate **Weather History &**

**Data Archive Weather Underground** For more information on this data, please visit the Alaska Climate Divisions FAQ. Belts, NWS Regions, Alaska and Cities Palmer Indices are not available for NWS Regions, Alaska and Cities. . 1901-2000 Base Period . Time Series, published June 2017, retrieved on June 18, 2017 from <http://cag/>. **Drought - National Climatic Data Center - NOAA** For more information on this data, please visit the Alaska Climate Divisions FAQ. The Erskine fire charred nearly 48,000 acres in Southern California, .. on the median frequency of 977 reports for June during 2000-2015). **Climatological Data: California - Google Books Result** Home > Climate Monitoring > State of the Climate. May Global Release: Mon, , 11:00 AM EDT. State of the Climate. Climate Monitoring State of the **CNRFC - Weather - Observed Precipitation - California Nevada** NCEI added Alaska climate divisions to its nClimDiv dataset on Friday, March 6, 2015, coincident with the release of the February 2015 monthly monitoring **Climate Normals - National Climatic Data Center - NOAA** California. June 2000 # - R & V. ovo - 0- - O - o O s & X. \*a-HY - or . o National Climatic Data Center, NOAA Departure of Average Temperature from. **Global Climate Report - Annual 2015 - National Climatic Data Center** Daily Weather Record tool built using climate and weather data from Climate Data Online (CDO). **April 2016 - National Climatic Data Center - NOAA** tions (NOAA) National Climatic Data Center include a suite of monthly, seasonal, Plains, Midwest, and northern California and drier conditions over much of the Southeast and Pacific 19712000 U.S. Climate Normals, which were generated .. February, MarchMay, JuneAugust, and September.