


NOAA Climatological Data: Connecticut, June 2005



The National Oceanic and Atmospheric Administration (NOAA) is a scientific agency within the United States Department of Commerce focused on the conditions of the oceans and the atmosphere. NOAA warns of dangerous weather, charts seas and skies, guides the use and protection of ocean and coastal resources and conducts research to improve understanding and stewardship of the environment. The NOAA publishes data, research and documents related to the organizations areas of expertise. Some of these publications include Climatological Data.

Climatological Data (DC) monthly publication/annual contains station daily maximum and minimum temperatures and precipitation amounts. Some stations provide daily snowfall, snow depth, evaporation, and soil temperature data. Each issue also contains monthly summaries for heating and cooling degree days (65 degrees F base). The July issue also contains monthly heating degree days and snow data for the preceding July through June. The annual issue contains monthly and annual averages of temperature, precipitation amounts, temperature extremes, freeze data, soil temperatures, evaporation, and a recap of monthly cooling degree days. This is one of those documents.

[\[PDF\] Perceiving Environmental Quality: Research and Applications \(Environmental Science Research\)](#)

[\[PDF\] Coming of age in Samoa: A psychological study of primitive youth for western civilization](#)

[\[PDF\] Piece of Cake: A Pocket Guide Full of Easy Tips and Tricks For Everyday Weight Loss](#)

[\[PDF\] The Spiritual Combat and A Treatise on Peace of Soul \(with Supplemental Reading: The Classics Made Simple: The Spiritual Combat\) \[Illustrated\]](#)

[\[PDF\] A Guide to NIP Theories \(Lecture Notes in Logic\)](#)

[\[PDF\] Introduction to Ordinary Differential Equations](#)

[\[PDF\] The African Inheritance](#)

Weather History & Data Archive **Weather Underground** National Climatic Data Center 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012 Weather and Climate Billion-Dollar Disasters to affect the U.S. from 1980-2017 (CPI-Adjusted) . June 2016 . 2015-06-21, 2015-06-25, Severe storms across numerous Central and Northeast states (CO, CT, IA, IL, **Climatological Rankings - National Climatic Data Center - NOAA** would like to see weather history. You can select a range of dates in the results on the next page. Location: Date: January, February, March, April, May, June **March 2013 - National Climatic Data Center - NOAA** For more information on this data, please visit the Alaska Climate Divisions FAQ. The North Atlantic hurricane season began on June 1: According to NOAAs Oklahoma had its ninth driest spring and driest since 2005, with 6.42 inches of . 125 percent of normal in Pennsylvania to 105 percent of normal in Connecticut. **Weather History for Hartford, CT Weather Underground** Averages and records for this station are not official NWS values. T = Trace of Precipitation, MM = Missing Value, Source: NWS Daily Summary **June 2014 - National Climatic Data Center - NOAA** For more information on this data, please visit the Alaska Climate Divisions FAQ. Alaska and Cities Palmer Indices are not available for NWS Regions, Alaska and 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015 .. June 2017, retrieved on June 18, 2017 from <http://cag/>. **State Climate Extremes Committee - National Climatic Data Center** Scoprì NOAA Climatological Data: Connecticut, June 2005 di National Oceanic and: spedizione gratuita per i clienti Prime e per ordini a partire da 29 spediti da **August 2015 - National Climatic Data Center - NOAA** MADIS also contains NWS surface stations that have been collected since 2001 in Fredrick MD and other Satellite Sounding June 9, 2005 **June 2013 - National Climatic Data Center - NOAA** The precipitation output files are changing formats. On or after June 19, 2017, the precipitation output files will be updated to new formats and **July 2014 - National Climatic Data Center - NOAA** 2011, 2010, 2009, 2008, 2007, 2006, 2005, 2004, 2003, 2002, 2001, 2000, 1999, 1998 June 2015 Statewide Temperature and Precipitation ranks Based on NOAAs Residential Energy Demand Temperature Index (REDTI), the . Maine, 16th wettest and Connecticut and Rhode Island, 18th wettest. **NOAA Climatological Data: Connecticut, June 2005:** According to analysis of NOAA data by the Rutgers Global Snow Lab, the December-January surpassing the previous record set in 2005/06 by 0.1F. of normal in West Virginia to 93 percent of normal in Connecticut and Maine. .. 2015, published online February 2015, retrieved on June 18, 2017 from **Climate at a Glance - National Climatic Data Center - NOAA** 2017, 2016, 2015, 2014, 2013, 2012, 2011, 2010, 2009, 2008, 2007, 2006, 2005, 2004, 2003, 2002, 2001, 2000, 1999, 1998 June Extreme Weather/Climate Events El Nino still probable later this year: According to NOAAs Climate Prediction . Virginia, two each in Maine and Massachusetts, and one in Connecticut. **June 2010 - National Climatic Data Center - NOAA** Buy NOAA Climatological Data: Connecticut, June 2005 by National Oceanic and Atmospheric Adminis (ISBN: 9781249334279) from Amazons Book Store. **National Climate Report - June 2015 - National Climatic Data Center** Buy NOAA Climatological Data: Connecticut, June 2005 by National Oceanic and Atmospheric Adminis (ISBN: 9781249334279) from Amazons Book Store. **NCEP Meteorological Assimilation Data Ingest - madis (noaa)** The June precipitation total for the contiguous U.S. was 2.46 inches, 0.47 . F (0.6 degrees C) above normal in Connecticut and West Virginia. **May 2014 - National Climatic Data Center - NOAA** Averages and records for this station are not official NWS values. T = Trace of Precipitation, MM = Missing Value, Source: NWS Daily Summary **January 2013 - National Climatic Data Center - NOAA** Owned and maintained by University of Connecticut, Department of Marine Sciences Weather Station 41.306 N 72.077 W (411821 N 72439 W) **National Climate Report - National Climatic Data Center - NOAA** 2010, 2009, 2008, 2007, 2006, 2005, 2004, 2003, 2002, 2001, 2000, 1999, 1998 Probability of El Nino increases later this year: According to NOAAs Climate The average maximum (daytime) June temperature for the contiguous U.S. . for the other dry states ranged from 52 percent of normal in Connecticut to 89 **Noaa Climatological Data: Connecticut, June 2005:** For more information on this data, please visit the Alaska Climate Divisions FAQ. Based on NOAAs Residential Energy Demand Temperature Index (REDTI), the . 12th Pennsylvania, 13th Connecticut, 21st and New Hampshire, 22nd. .. Drought was expected to persist elsewhere through June 2013. **Billion-Dollar Weather and Climate Disasters: Table of Events** Daily Summaries Station Details:IGOR I SIKORSKY MEMORI AIRPORT, CT US, GHCND:USW00094702. **AHPS Precipitation Analysis - National Weather Service - Water** QCLCD ASCII, or plain text, data files provide monthly summaries of observations for all stations. Files between 20 may not match the same **NOAA Climatological Data: Connecticut, June 2005:** Connecticut and Louisiana were much drier than average. Parts of the June-August 2015 Statewide Temperature and Precipitation ranks. **January 2015 - National Climatic Data Center - NOAA** The most up-to-date

temperature and precipitation data is available through Climate at a Glance. . June was particularly warm for the CONUS, with a temperature According to NOAA data analyzed by the Rutgers Global Snow Lab, for The East Coast was much warmer than average with Connecticut, **June 2016 - National Climatic Data Center - NOAA** The most up-to-date temperature and precipitation data is available through Climate at a Glance. In June, a historic flash flood event dumped up to ten inches of rain Conversely, it was the fourth driest year for Connecticut, ninth driest .. the first hurricane to make landfall in Florida since Wilma in 2005. **Daily Summaries Station Details - National Climatic Data Center** For more information on this data, please visit the Alaska Climate Divisions FAQ. California, Connecticut, and Florida each had one of their ten driest Januarys. **Station Data Climate Audit** The State Climate Extremes Committee (SCEC) was created in 2006 in response to the need Alaska, Maximum Temperature, 100F, June 27, 1915, FORT YUKON, 26413, E Connecticut, Maximum Temperature, 106F, August 23, 1916 The data may come from sources other than official NOAA-supervised weather **National Climate Report - Annual 2015 - National Climatic Data Center** The nationally-averaged June precipitation total of 3.43 inches was 0.54 inch east of the Mississippi River were drought free for the first time since May 2005. . June 2013 was the third wettest on record in Connecticut (233 **LCD - National Climatic Data Center - NOAA** an analysis of national temperatures and precipitation, placing the data into a 2014, 2013, 2012, 2011, 2010, 2009, 2008, 2007, 2006, 2005, 2004, 2003, 2002 . Precipitation for all states ranged from 101 percent of normal in Connecticut to 137 .. on June 18, 2017 from <https://sotc/national/201705>.