


# Modeled and Measured Glacier Change and Related Glaciological, Hydrological, and Meteorological Conditions at South Cascade Glacier, Washington, Balance and Water Years 2006 and 2007



Winter snow accumulation and summer snow and ice ablation were measured at South Cascade Glacier, Washington, to estimate glacier mass balance quantities for balance years 2006 and 2007. Mass balances were computed with assistance from a new model that was based on the works of other glacier researchers. The model, which was developed for mass balance practitioners, coupled selected meteorological and glaciological data to systematically estimate daily mass balance at selected glacier sites. The North Cascade Range in the vicinity of South Cascade Glacier accumulated approximately average to above average winter snow packs during 2006 and 2007. Correspondingly, the balance years 2006 and 2007 maximum winter snow mass balances of South Cascade Glacier, 2.61 and 3.41 meters water equivalent, respectively, were approximately equal to or more positive (larger) than the average of such balances since 1959. The 2006 glacier summer balance, -4.20 meters water equivalent, was among the four most negative since 1959. The 2007 glacier summer balance, -3.63 meters water equivalent, was among the 14 most negative since 1959. The glacier continued to lose mass during 2006 and 2007, as it commonly has since 1953, but the loss was much smaller during 2007 than during 2006. The 2006 glacier net balance, -1.59 meters water equivalent, was 1.02 meters water equivalent more negative (smaller) than the average during 1953-2005. The 2007 glacier net balance, -0.22 meters water equivalent, was 0.37 meters water equivalent less negative (larger) than the average during 1953-2006. The 2006 accumulation area ratio was less than 0.10, owing to isolated patches of accumulated snow that endured the 2006 summer season. The 2006 equilibrium line altitude was higher than the glacier. The 2007 accumulation area ratio and equilibrium

line altitude were 0.60 and 1,880 meters, respectively.

[\[PDF\] The Aeroplane. a Concise Scientific Study](#)

[\[PDF\] Theater Shoes](#)

[\[PDF\] The Romance of Modern Invention](#)

[\[PDF\] The North American Sylva, Vol. 1 of 3: Or a Description of the Forest Trees of the United States, Canada and Nova Scotia, Not Described in the Work of ... in the Rocky Mountains, the Territory](#)

[\[PDF\] The Hidden Power of Prayer and Fasting](#)

[\[PDF\] Senderos Vocabulary Readers: Below Level Vocabulary Reader 6 Pack Grade K Camping Under the Stars \(Spanish Edition\)](#)

[\[PDF\] Bulletin of the Boston Society of Natural History Volume 1-30](#)

**Modeled and Measured Glacier Change and Related Glaciological** Buy a cheap copy of Modeled and Measured Glacier Change and Related Glaciological, Hydrological, and Meteorological Conditions at South Cascade Glacier, Washington, Balance and Water Years 20 book by William R. Bidlake. . Free shipping over \$10. **Modeled and Measured Glacier Change and Related Glaciological** 2012?3?8? Modeled and measured glacier change and related glaciological, conditions at South Cascade Glacier, Washington, balance and water years 20 for mass balance practitioners, coupled selected meteorological and The 2007 glacier summer balance, -3.63 meters water equivalent, was **Modeled and Measured Glacier Change and Related Glaciological** Mass balances were computed with assistance from a new model that was and Measured Glacier Change and Related Glaciological, Hydrological, Item condition: . The 2007 glacier summer balance, -3.63 meters water equivalent, was at South Cascade Glacier, Washington, Balance and Water Years 2006 and **9781500504892 - Recherche la Liv (aka DieBuchSuche) - Jwenn liv** Modeled and Measured Glacier Change and Related Glaciological, Hydrological, and Meteorological Conditions at South Cascade Glacier, Washington, Balance and Water Years 2006 and 2007 (Paperback). William R **A Numerical Modeling Investigation on Calving and - PDXScholar** Correspondingly, the balance years 2006 and 2007 maximum winter snow The 2006 glacier summer balance, -4.20 meters water equivalent, was Modeled and measured glacier change and related glaciological, hydrological, and meteorological conditions at South Cascade Glacier, Washington, **Modeled and Measured Glacier Change and Related Glaciological** Bidlake, W.R., 2007, Late 20th Century Ice Loss in the Vicinity of the Goat Water, Ice, and Meteorological Measurements at South Cascade Glacier, 2010, Modeled and measured glacier change and related glaciological, at South Cascade Glacier, Washington, balance and

water years 2006 and **Glacier mass balance - Wikipedia** Related Glaciological, Hydrological, and Meteorological Conditions at South Cascade Glacier, The North Cascade Range in the vicinity of South Cascade Glacier Correspondingly, the balance years 20 maximum winter snow mass The 2006 glacier summer balance, -4.20 meters water equivalent, was Modeled and Measured Glacier Change and Related Glaciological, Hydrological, and Meteorological Conditions at South Cascade Glacie at South Cascade Glacier Washington Balance and Water Years 2006 and 2007 (2007) (?) Correspondingly, the balance years 2006 and 2007 maximum winter **Modeled and Measured Glacier Change and Related Glaciological** Abstract The annual runoff from the melting of large glaciers and snow . ablation was 5.5 cm/d 0.5 cm/d independent of local weather conditions (e.g., wind, . Modeled and measured glacier change and related glaciological, at South Cascade Glacier, Washington, balance and water years 2006 and **Modeled and measured glacier change and related glaciological** Correspondingly, the balance years 2006 and 2007 maximum winter mass balances of South Cascade Glacier, 2.61 and 3.41 meters water **Modeled and Measured Glacier Change and Related Glaciological** Modeled and Measured Glacier Change and Related Glaciological, Related Glaciological Hydrological and Meteorological Conditions at South Cascade Glacie (?) at South Cascade Glacier, Washington, Balance and Water Years 2006 and Correspondingly, the balance years 20 maximum winter snow **Glacier Modeling in Support of Field Observations of Mass Balance** Modeled and Measured Glacier Change and Related Glaciological, Hydrological, and Meteorological Conditions at South Cascade Glacier, Washington, Balance and Water Years 20: William R. The 2007 glacier summer balance, -3.63 meters water equivalent, was among the 14 most negative since 1959. **Modeled and Measured Glacier Change and Related Glaciological** Deriving Ba from AAR observation or from balance gradient information provided a reasonable Josberger E, Savoca M (2010) Modeled and measured glacier change and related glaciological, hydrological, and meteorological conditions at South Cascade Glacier, Washington, balance and water years 20. **Modeled and Measured Glacier Change and Related Glaciological** Related Glaciological, Hydrological, and Meteorological Conditions at South Cascade Glacier, Washington, Balance and Water Years 20 et des **Modeled and measured glacier change and related glaciological** : Modeled and Measured Glacier Change and Related Glaciological, Hydrological, and Meteorological Conditions at South Cascade Glacier, Washington, Balance and Water Years 20: 1500504890 Special order direct from the distributor. **Modeled and Measured Glacier Change and Related Glaciological** glaciological, hydrological, and meteorological conditions at South Cascade Glacier, Washington, balance and water years 20: U.S. Geological **Modeled and Measured Glacier Change and Related Glaciological** Washingtons only benchmark glacier continues to lose mass as a result of measurements in 2006 and 2007 of South Cascade Glacier, located in The report, Modeled and Measured Glacier Change and Related Glaciological, Cascade Glacier, Washington, Balance and Water Years 2006 and **Modeled and Measured Glacier Change and Related Glaciological** **Modeled and Measured Glacier Change and Related Glaciological** Find great deals for Modeled and Measured Glacier Change and Related Glaciological, Hydrological, and Meteorological Conditions at South Cascade Glacier, Washington, Balance and Water Years 20 by Mark Savoca, Edward Joshberger and William Bidlake (2014, Paperback). Shop with confidence on **Climate Driven Retreat of Mount Baker Glaciers and Changing Water - Google Books Result** Crucial to the survival of a glacier is its mass balance or surface mass balance (SMB), the difference between accumulation and ablation (sublimation and melting). Climate change may cause variations in both temperature and snowfall, This includes 23 consecutive years of negative mass balances. Chart of annual and **Glaciers and Snowpack - Publications and Products - Washington** Find great deals for Modeled and Measured Glacier Change and Related Glaciological, Hydrological, and Meteorological Conditions at South Cascade Glacier, Washington, Balance and Water Years 20 by Edward G Joshberger, William R Bidlake, Mark E Savoca (Paperback / softback, 2014). Shop with **A 350-Year Reconstruction of the Response of South Cascade** balance changes for all North Cascade glaciers (Pelto, 2006). . glaciological measurements, such as ice velocity, surface elevation, and mass balance. glaciological, hydrological, and meteorological data of South Cascade Glacier. mass balance of South Cascade Glacier was a focus for various modeling studies **Melt water input from the Bering Glacier watershed into the Gulf of** - Buy Modeled and Measured Glacier Change and Related Glaciological, Hydrological, and Meteorological Conditions at South Cascade Glacier, Washington, Balance and Water Years 20 book online at best prices in India on Amazon.in. Read Modeled and Measured Glacier Change and Related **Modeled Measured Glacier Change Related - Singapore** Modeled and Measured Glacier Change and Related Glaciological, Hydrological, and Meteorological Conditions at South Cascade Glacier, Washington, Balance and Water Years 2006 and 2007 The 2006 glacier summer balance, -4.20 meters water equivalent, was among the four most negative since

**Modeled and Measured Glacier Change and Related Glaciological** Condition: New Sold by: GlobalBookStore (84% Positive Rating) The North Cascade Range in the vicinity of South Cascade Glacier accumulated Correspondingly, the balance years 20 maximum winter snow mass The 2006 glacier summer balance, -4.20 meters water equivalent, was among the four